Dexell

Technical data sheet

Product Name: Dexoll ATF II D

Description:

is high performance synthetic automatic transmission oil ATF for use in torque converter transmission and power shift transmission of vehicles. is developed for use in automatic transmission and torque converter transmission and power shift transmission with required.



Characteristics:

- · reliable protection against wear, sludge, adhesion and corrosion
- · a very shear stable viscosity-temperature behavior
- · can be used both at very low and very high temperatures
- · an extremely high thermal load
- no foaming, even under the heaviest loads
- · compatibility with sealing materials

Specification:

- · ALLISON C2/C3
- · GMDEXRON IID (GM-6137M78)
- · MEETS FORD MECRON
- MAN 339 TYP Z1, V1
- · CATERPILLAR TO-2
- · MB-APPROVAL 236.5/236.7
- · VOITH H55.6335.XX
- · ZF TE-ML 03D



PARAMETER	UNIT	TEST METHOD	VALUE		CERTIFICATE OF ANALYSIS
			Min. Max	Typical	
Kinematic viscosity at 15 °C	kg/m ³	EN ISO 12185		870	
Kinematic viscosity at 100 °C	mm ² /s	EN ISO 3140	Inf 7.1		*
Kinematic viscosity at 40 °C	mm ² /s	EN ISO 3140		32	*
Pour point	°C	ISO 3016	Max36		*
V.I.	°C	ISO 2909	inf. 163		
Flash points	°C	EN ISO 2592	Min. 180	6,5	*
Water content	%	EN ISO 9029	Max. 0.05		

Storage:

The products should be stored under a roof. If they are stored in the open air where they can be exposed to atmospheric conditions – rains, they should be placed in a horizontal position in order to avoid inrush of water to a container and to prevent label damaging; they should be covered with tarpaulin.

The products should not be stored at the temperature above 60° C and in the places where solar radiation is very strong or – temperatures very low, below 0° C. The expiry date is not less than 3 years if the storage conditions are satisfied.

Health, safety and the environment:

Information concerning safety is included in the product Safety Sheet. It contains detailed information on possible threats, warnings, first aid as well as the impact on the environment and ways of utilization of the used products.